| | Hits | Search Text | DBs |
|---|------|---|--|
| 1 | 7568 | ofdm and @ad<"20030421" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 1600 | ofdm and normal\$7 and @ad<"20030421" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 45 | ofdm and normal\$7 and (estima\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 1 | (700/28,53, 375/260,259,316,320,324,322,329, 340,377,261,262,224,227,228).ccl s. and (sequenc\$7 with estimat\$7 with (pil\$3 and normal\$7)) and @ad<"20030421" | USPAT; EPO; JPO; |
| 5 | 10 | (sequenc\$7 with estimat\$7 with (pil\$3 and normal\$7)) and @ad<"20030421" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 0 | (sequenc\$7 with estimat\$7 with from with (pil\$3 and normal\$7)) and @ad<"20030421" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | 0 | (sequenc\$7 near2 estimat\$7 near2 from near2 (pil\$3 and normal\$7)) and @ad<"20030421" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | 79 | ofdm and normal\$7 and trellis and viterbi and @ad<"20030421" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|--|
| 9 | 9 | with converg\$7) and viterbi and @ad<"20030421" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 5 | otdm and normal\$7 and ((trellic or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 171 | ofdm and normal\$7 and trellis and @ad<"20030421" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 17 | ofdm and normal\$7 and (estima\$7 with converg\$7) and trellis and @ad<"20030421" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | 1 | (700/28,53, 375/260,259,316,320,324,322,329, 340,377,261,262,224,227,228).ccl s. and (sequenc\$7 with estimat\$7 with (pil\$3 and normal\$7)) and @ad<"20030421" | USPAT; EPO; JPO; |

| | Hits | Search Text | DEs |
|----|------|---|--|
| 14 | 0 | ((LEE-JONG-HO.in. or CHUNG-JAE-HAK.in. or HWANG-CHAN-SOO.in. or NAM-SEUNG-HOON.in. or KWAK-DO-YOUNG.in. or HAN-JAE-CHOONG.in. or KIM-SEONG-CHEOL.in.) or (LEE-JONGHO.in. or CHUNG-JAEHAK.in. or HWANG-CHANSOO.in. or NAM-SEUNGHOON.in. or KWAK-DOYOUNG.in. or HAN-JAECHOONG.in. or KIM-SEONGCHEOL.in.) or (LEE-JONG-H.in. or CHUNG-JAE-H.in. or HWANG-CHAN-S.in. or NAM-SEUNG-H.in. or KWAK-DO-Y.in. or HAN-JAE-C.in. or KIM-SEONG-C.in.) or (LEE-JONG.in. or CHUNG-JAE.in. or HWANG-CHAN.in. or NAM-SEUNG.in. or KWAK-DO.in. or HAN-JAE.in. or KWAK-DO.in. or HAN-JAE.in. or KIM-SEONG.in.)) and (ofdm and nois\$7 and gauss\$7 and equa\$7).claims. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| | | | |

| Hits | Search Text | DBs |
|------|--|--|
| 15 0 | JAECHOONG.in. or KIM- SEONGCHEOL.in.) or (LEE-JONG- | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| 16 17 | ((LEE-JONG-HO.in. or CHUNG-JAE-HAK.in. or HWANG-CHAN-SOO.in. or NAM-SEUNG-HOON.in or KWAK-DO-YOUNG.in. or HAN-JAE-CHOONG.in. or KIM-SEONG-CHEOL.in.) or (LEE-JONGHO.in. or CHUNG-JAEHAK.in. or HWANG-CHANSOO.in. or NAM-SEUNGHOON.in. or KWAK-DOYOUNG.in. or HAN-JAECHOONG.in. or KIM-SEONGCHEOL.in.) or (LEE-JONG-H.in. or CHUNG-JAE-H.in. or HWANG-CHAN-S.in. or NAM-SEUNG-H.in. or KWAK-DO-Y.in. or HAN-JAE-C.in. or KIM-SEONG-C.in.) or (LEE-JONG.in. or CHUNG-JAE.in. or HWANG-CHAN.in. or NAM-SEUNG.in. or KWAK-DO.in. or HAN-JAE.in. or KWAK-DO.in. or HAN-JAE.in. or KIM-SEONG.in.) and (ofdm).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|-------|---|--|

| | Hits | Search Text | DBs |
|----|------|---|--|
| 17 | 1 | JAECHOONG.in. or KIM- SEONGCHEOL.in.) or (LEE-JONG- | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 1 | (700/28,53, 375/260,259,316,320,324,322,329, 340,377,261,262,224,227,228).ccl s. and (sequenc\$7 with estimat\$7 with (pil\$3 and normal\$7)) and @ad<"20030421" | USPAT; EPO; JPO; DERWENT; |

| 19 1 | JAECHOONG.in. or KIM- SEONGCHEOL.in.) or (LEE-JONG- | US-PGPUB; USPAT; EPO; JPO DERWENT; IBM_TDB |
|------|--|---|



Floring | Login | Logout | Access Information | Alens | Pumbase History | " C

Welcome United States Patent and Trademark Office

Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display

Recent Search Queries

#1 ((((sequence <near/7> estimate <near/7> (pilot <and> normali)))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003)

Thu, 20 Sep 2007, 12:54:55 PM EST

Help Contact Us Privac

© Copyright 2096 (E

inspec"